DAILY RAINFALL 1901 1910

JERSEY

ST. HELIER ST. LOUIS OBSERVATORY 1901 1910

REGIST ST. HELIER 1901

ST. LOUIS OBSERVATORY
JERSEY
1901 – 1910

Kept at St Louis Obser Lat. Lon.

in the County of Jers. Time of Observation midnight

by Rev. Marc Dec Diameter

Height of top above Ground

" " Sea Level

NOTE.—Full instructions respecting th *specting the Systematic Observation and Record*
of the Rainfall," which is sent post-free on ILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.039	.181	.126	.039	.319	.075	.260	–	–	.071	.028	.024	1
2	–	.189	.165	.059	–	–	–	–	–	.039	–	–	2
3	–	–	.216	.386	–	–	.075	–	–	–	–	.047	3
4	–	.256	.209	.252	–	–	–	.024	–	1.026	–	–	4
5	–	.362	.114	.488	–	–	–	–	–	.059	–	–	5
6	–	~~.005~~	.154	.350	–	–	–	.004	–	.055	–	.028	6
7	.079	–	.063	–	.075	–	–	–	–	–	–	.040	7
8	.039	–	.118	.067	.295	–	–	–	.346	.268	–	.228	8
9	–	–	–	.134	.024	–	–	–	.020	.035	–	.138	9
10	.130	–	–	.020	–	–	–	.382	.023	–	–	.209	10
11	–	.016	–	.346	–	–	–	.063	.004	–	–	.098	11
12	–	–	–	–	–	.004	–	–	–	–	.079	.602	12
13	–	.035	.012	.118	–	–	.150	.043	–	–	.185	.118	13
14	–	–	.031	.299	–	.004	–	.559	.012	–	.311	.634	14
15	–	.039	.138	.098	–	–	–	.008	–	–	–	.075	15
16	.153	.043	.024	.020	–	–	–	–	.177	.378	–	–	16
17	–	.059	.260	–	–	–	–	–	.401	.043	–	–	17
18	.004	–	.315	–	–	–	–	–	–	.394	–	.228	18
19	.079	.043	–	–	–	.201	–	–	–	.130	–	.012	19
20	.028	.039	.181	–	–	.366	–	–	.024	.039	–	.008	20
21	.055	–	.169	–	–	–	–	–	.150	.008	.138	–	21
22	.012	.031	–	–	–	–	.012	–	–	.008	.142	–	22
23	–	–	–	–	–	.004	.087	–	.260	.004	–	.181	23
24	.004	.016	–	–	–	–	.130	–	–	.157	–	.646	24
25	.201	.004	.142	–	–	–	.244	.051	–	.504	–	.118	25
26	.366	.020	.039	–	–	–	.189	.094	.079	.051	.012	.228	26
27	.024	.051	.047	–	–	–	–	.339	–	–	–	.067	27
28	.146	.031	.079	.791	–	–	.008	–	–	–	–	.370	28
29	.004		–	.102	.043	–	–	.008	–	–	.004	.110	29
30	.299		.031	–	.279	.016	–	–	–	–	.008	.098	30
31	.020		.102		.075		–	–		–		.008	31
Totals	1.682	1.415	2.731	3.573	1.110	.670	1.155	1.575	1.496	3.269	.907	4.315	
Total from Jan. 1												23.898	

K/4,000/12/01. EDWARD STANFORD, LONG ACRE, W.C. PRICE 3D.

REGISTER OF RAINFALL IN 1901

Kept at St Louis Observatory

in the County of Jersey Island

by Rev. Marc Dechevrens S.J.

RAIN GAUGE.

Lat. ..... Lon. .....

Time of Observation Midnight

Diameter .....

Height of top above Ground .....

" " Sea Level .....

NOTE.—Full instructions respecting the measurement of rain are given in "*Arrangements respecting the Systematic Observation and Record of the Rainfall*," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.039	.181	.126	.039	.319	.075	.260	—	~	.071	.028	.024	1
2	~	.189	.165	.059	—	—	~	—	—	.039	—	—	2
3	~	—	.216	.386	—	—	.075	~	—	—	~	.047	3
4	~	.256	.209	.252	—	—	~	.024	—	1.026	~	~	4
5	~	.362	.114	.488	—	—	~	~	—	.059	—	—	5
6	~	~~.004~~	.154	.350	—	—	~	.004	—	.055	—	.028	6
7	.079	—	.063	—	.075	~	~	—	—	~	~	.040	7
8	.039	—	.118	.067	.295	—	~	—	.346	.268	—	.228	8
9	—	—	—	.134	.024	—	~	~	.020	.035	—	.138	9
10	.130	~	—	.020	—	—	~	.382	.023	—	—	.209	10
11	—	.016	—	.346	—	~	—	.063	.004	—	~	.098	11
12	~	—	—	~	—	.004	—	~	—	—	.079	.602	12
13	—	.035	.012	.118	—	—	.150	.043	—	—	.185	.118	13
14	—	—	.031	.299	—	.004	—	.559	.012	—	.311	.634	14
15	—	.039	.138	.098	—	—	—	.008	—	~	—	.075	15
16	.153	.043	.024	.020	—	—	—	—	.177	.378	—	—	16
17	—	.059	.260	—	—	—	—	—	.401	.043	—	—	17
18	.004	—	.315	—	—	—	—	—	—	.394	—	.228	18
19	.079	.043	—	—	—	.201	—	—	—	.130	—	.012	19
20	.028	.039	.181	—	—	.366	—	—	.024	.039	—	.008	20
21	.055	—	.165	—	—	—	—	—	.150	.008	.138	—	21
22	.012	.031	~	—	—	—	.012	—	—	.008	.142	~	22
23	—	—	~	—	—	.004	.087	~	.260	.004	~	.181	23
24	.004	.016	~	—	—	—	.130	—	~	.157	—	.646	24
25	.201	.004	.142	~	—	—	.244	.051	—	.504	—	.118	25
26	.366	.020	.039	~	—	—	.189	.094	.079	.051	.012	.228	26
27	.024	.051	.047	—	—	—	~	.339	—	—	~	.067	27
28	.146	.031	.079	.791	—	—	.008	—	~	—	—	.370	28
29	.004		~	.106	.043	—	—	.008	~	—	.004	.110	29
30	.299		.031	—	.279	.016	—	—	—	—	.008	.098	30
31	.020		.102		.075		—	—		—		.008	31
Totals	1.682	1.415	2.731	3.573	1.110	.670	1.155	1.575	1.496	3.269	.907	4.315	
Total from Jan. 1												23.898	

K/4,000/12/01. EDWARD STANFORD, LONG ACRE, W.C. PRICE 3D.

REGISTER OF RAINFALL IN 1902

Kept at Observatoire St Louis

in the County of Jersey

by Rev. Marc Dechevrens S.J.

RAIN GAUGE.

Lat. ..... Long. .....

Time of Observation minuit

Diameter .....

Height of top above Ground .....

" " Sea Level .....

NOTE.—Full instructions respecting the measurement of rain are given in "*The British Rainfall Organization—Rules for Rainfall Observers*," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.205				.024	.189			.047	.197	.004	.402	1
2	.094				.020		.008		.224	.047	.003	.201	2
3	.012	.008	.008					.079	.008	.071		.212	3
4	.012		.008					.118				.016	4
5				.016				.043	.059	.016	.130	.012	5
6		.287				.185		.319		.169	.087		6
7		.157			.185	.153							7
8		.221			.008	.201					.232	.008	8
9					.016		.055	.004	.189	.335	.246		9
10		.236	.012	.075	.039		.091		.150	.051	.004	.189	10
11			.004	1.079				.083	.071	.201	.303	.110	11
12					.059	.209		.197	.020			.083	12
13						.146						.071	13
14		.016	.480			.024			.091	.118		~~.256~~	14
15	.004	.012		.413	.130	.027	.028		.027	.323		.236	15
16			.020		.094	.098		.362	.024	.228		.071	16
17			.067		.638			.008	.047	.279		.008	17
18					.126			.209		.161		.047	18
19					.114	.181	.071	.216		.059	.004	.027	19
20		.004	.145	.031	.004	.035	.398			.299		.047	20
21						.035	.012	.004					21
22		.201	.142	.173	.346				.023	.039	.020		22
23		.031	.024					.555	.264		.102		23
24	.252	.102	.311				.008	.079	.201		.403		24
25	.413		.004				.020				.256		25
26	.240	.083	.252	1.291			.063			.031	.209	.031	26
27	.236	.032	.122	.146			.008				.024	.008	27
28	.232	.102	.327							.047	.291	.047	28
29			.134		.315	.063		.055	.083		.193	.402	29
30	.043		.236		.397	.201		.043	.122			.370	30
31	.051		.008		.429		.142	.236				.142	31
Totals	1.794	1.492	2.304	3.224	2.944	1.747	.904	2.610	1.650	2.671	2.481	2.736	
Total from Jan. 1												26.557	

K/4,000/11/02

EDWARD STANFORD, LONG ACRE, W.C.

PRICE 3D.

REGISTER OF RAINFALL IN 1903

FORM A. BRITISH RAINFALL.

Kept at Observatory St. Louis

in the County of Jersey Island

by Rev. Marc Decheverens S.J.

Lat. ..... Long. .....

Nearest Railway Station .....

RAIN GAUGE. Time of Observation .....

Diameter ..... in.

Height of top above Ground ..... ft. ..... in.

" " Sea Level ..... ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.091	.335	.354	.110	.183	—	—	.004	—	.039	—	.012	1
2	.764	.063	.701	.016	.055	—	—	.023	.248	.189	.028	.024	2
3	.051	.106	.028	—	.472	—	—	.071	—	.059	.031	.027	3
4	.453	.067	.016	.039	.177	—	—	.008	—	.051	—	.324	4
5	—	—	.146	.016	.032	—	.008	.012	.012	.413	—	.390	5
6	.138	—	.087	—	.539	—	.012	—	.177	.047	—	.146	6
7	.079	—	.216	—	—	—	—	—	—	—	—	.272	7
8	.059	—	.012	—	.059	.260	—	—	—	.276	—	.169	8
9	—	.004	.020	—	—	—	—	.039	.047	.091	.028	.523	9
10	.035	—	.035	—	—	—	—	.181	.063	.047	.008	.212	10
11	.267	—	—	—	—	.008	—	.205	.114	.547	.020	.098	11
12	.016	.020	—	—	.067	.055	—	.012	—	.150	.055	.102	12
13	.047	—	—	.012	—	.638	—	—	.634	.035	—	.205	13
14	.004	.008	—	—	.004	.008	—	.496	—	—	.197	—	14
15	—	—	—	.027	—	.500	—	.008	—	.543	.382	—	15
16	—	.020	.035	—	—	—	.165	.075	—	.394	.283	.079	16
17	.295	—	.232	—	.102	.342	.209	.193	—	.075	.114	—	17
18	.004	—	.091	—	—	.984	—	.043	—	—	.012	—	18
19	.043	—	—	—	—	.756	—	.020	—	.307	—	—	19
20	—	—	.008	—	—	—	—	1.027	—	—	.055	—	20
21	—	.004	—	.252	—	—	—	.488	.508	.138	.016	—	21
22	.142	.004	—	—	—	.012	.110	—	—	.390	.024	—	22
23	—	.177	.016	.035	—	.047	.693	.016	—	.425	.008	—	23
24	.008	.008	—	—	—	—	.024	.323	.244	.094	.157	—	24
25	.024	—	.012	—	—	—	.094	.039	—	.067	.244	—	25
26	—	.161	—	.480	—	—	.110	—	—	.051	.051	.004	26
27	—	1.031	.098	.028	—	—	.071	—	.059	.929	.484	.004	27
28	.059	.217	.035	.354	—	—	.531	.012	.028	.256	.402	—	28
29	—		.004	.012	.717	—	—	.035	.622	.303	.228	—	29
30	—		.114	.055	.189	—	.043	—	—	.150	.094	—	30
31	—		—		.004		—	—		.220		—	31
Totals	2.599	2.225	2.260	1.436	2.570	3.610	2.070	3.330	2.756	6.286	2.921	2.594	
Total from Jan. 1												34.657	

K/5000/10/03. EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C. Price, on extra tough paper, 3d.

17 12 19 13 11 11 12 22 12 27 22 14 192

REGISTER OF RAINFALL IN 19 04

FORM A. BRITISH RAINFALL.

Kept at St Louis' Observatory

in the County of Jersey Island

by Rev. Marc Ecobichon S.J.

Lat. ..... Long. .....

Nearest Railway Station .....

RAIN GAUGE { Time of Observation .....

Diameter ..... in.

Height of top above Ground ..... ft. ..... in.

" " Sea Level ..... ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	.091	–	.024	.098	.110	.024	–	–	.122	–	.047	1
2	.051	.083	.106	.039	.307	–	–	–	–	2.626	.020	.024	2
3	.165	.146	–	.043	.028	–	–	–	.102	.358	–	.039	3
4	.272	.016	.142	.028	–	–	–	.299	–	–	–	.114	4
5	–	.016	.114	.118	.031	–	–	.039	–	.181	–	.118	5
6	–	.110	–	.110	.051	.008	.012	.130	.591	.197	–	.724	6
7	.110	.079	.169	.020	.063	.059	–	.094	.236	.425	.146	1.252	7
8	.661	.165	–	.063	.299	–	–	.335	.217	.051	.016	.102	8
9	.055	.126	–	.047	.039	.216	–	–	–	–	.067	.248	9
10	.350	.268	–	–	.063	–	–	–	–	.106	.016	.252	10
11	.091	.354	–	–	.122	–	–	.028	–	.130	.028	.012	11
12	.118	.181	–	–	.024	–	–	–	.468	–	–	.445	12
13	.079	.028	–	.244	–	–	–	–	.114	–	.047	.075	13
14	.374	.382	–	.213	–	.091	–	.106	.366	–	–	.563	14
15	.256	.394	–	.791	.004	–	–	–	–	.177	–	.106	15
16	.114	.453	–	–	–	.083	–	–	–	.177	.028	–	16
17	–	.161	–	–	.008	.004	–	.094	–	.150	–	–	17
18	.142	.067	–	–	.008	–	–	.016	–	.035	–	–	18
19	–	.012	–	–	–	–	.201	–	–	.028	–	–	19
20	–	.185	.012	–	.039	–	–	–	–	–	.059	–	20
21	–	.055	.016	–	.138	–	–	–	–	.016	.646	–	21
22	.035	–	.008	.114	.024	–	–	.118	–	.028	–	–	22
23	–	–	–	.035	–	–	.059	.012	–	.122	1.095	.004	23
24	–	–	–	–	.004	.228	.130	.051	.004	–	–	–	24
25	–	–	–	–	–	–	.768	–	–	–	.039	–	25
26	–	.228	–	–	.079	–	.772	.268	.016	–	.150	–	26
27	.291	–	–	–	.102	–	.161	.012	.370	–	.059	.004	27
28	.614	.031	.016	.016	–	–	–	–	–	–	.161	–	28
29	–	.008	.504	–	–	–	.150	–	–	–	.051	.051	29
30	.189		.035	–	.602	–	.165	.079	.343	–	.012	.035	30
31	.331		.815		.028		–	.390		–		.020	31
Totals	4.298	3.639	1.937	1.905	2.161	.799	2.442	2.071	2.827	4.929	2.640	4.235	
Total from Jan. 1						33.883							

K/4000/12/04. EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C. Price, on extra tough paper. 3d.

S.m.a

REGISTER OF RAINFALL IN 19 05

FORM A.
BRITISH RAINFALL.

17 JAN 1906

Kept at Cascadia, St Louis

in the County of Schuyler

by Mrs. Eccleston

RAIN GAUGE.
Lat. ..... Long. .....
Nearest Railway Station .....
Time of Observation .....
Diameter ..... in.
Height of top above Ground ..... ft. ..... in.
" " Sea Level ..... ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.063	.106	-	.236	-	-	-	-	.028	.346	-	1
2	-	.039	.126	-	.059	-	-	.079	.043	.083	.122	-	2
3	.024	-	-	.043	.039	.012	-	.362	.012	.035	.067	.020	3
4	.035	.012	-	.012	-	-	.374	.004	-	.153	.047	-	4
5	.161	.008	.110	-	.008	.480	.012	.047	.087	.008	.079	.067	5
6	.189	-	.016	-	-	1.098	.008	.039	.063	-	.063	.173	6
7	-	.008	.016	.028	-	.067	-	.193	.213	.020	.051	.102	7
8	.004	-	-	-	-	.059	-	-	-	.205	.228	.079	8
9	.083	-	.134	-	-	.165	-	.047	.193	-	.032	.008	9
10	-	-	.398	.187	-	.130	.083	-	.382	-	.122	-	10
11	-	.028	.276	.035	-	.083	.023	-	.531	.020	.886	-	11
12	.016	.004	.087	-	-	.106	-	-	-	.016	.433	-	12
13	-	.035	.319	.024	-	.071	-	-	-	.031	.264	-	13
14	-	-	.161	.421	-	-	-	-	.020	-	-	-	14
15	-	.043	.323	.138	-	-	-	-	-	.110	.122	-	15
16	.791	.272	.193	.216	-	.905	-	.008	-	-	.063	-	16
17	.165	.059	.031	-	.008	.252	-	-	-	-	.350	-	17
18	-	.004	.118	.008	-	.185	-	.027	.004	.571	.161	.039	18
19	-	.102	-	.012	-	-	-	-	.047	.008	.402	.051	19
20	-	.020	.035	-	-	-	-	.008	-	.043	-	.051	20
21	-	.039	.020	.008	-	-	-	-	-	.016	-	-	21
22	-	.043	-	-	-	-	-	.146	-	.020	-	-	22
23	-	.020	.358	.035	-	-	.047	.020	-	-	.776	-	23
24	-	.012	.039	.146	-	-	-	-	.520	.004	.091	-	24
25	-	-	.146	.008	-	-	-	.346	.024	-	.071	-	25
26	-	.335	-	-	-	-	-	.016	.0	-	.126	-	26
27	-	.161	.453	-	-	-	-	.342	-	.020	.055	.047	27
28	-	.189	-	.130	-	-	-	.457	.992	.008	.457	.094	28
29	-		.024	.244	-	.016	-	.236	.350	.079	.020	.122	29
30	-		.508	.169	.008	-	-	.008	.012	.055	.220	-	30
31	.016		-		.023		-	.004		.141		-	31
Totals	1.484	1.496	3.997	1.866	0.374	3.629	0.547	2.389	3.493	1.674	5.654	.857	
Total from Jan. 1												27.460	

K/5000/11/05. EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C. Price, on extra tough paper, 3d.

187

REGISTER OF RAINFALL IN 1906

FORM A.
BRITISH RAINFALL.
7 JAN 1907

Kept at St Louis' Observatory

in the County of Jersey Island

by Marc Decheverens S.J.

Lat. ..... Long. .....

Nearest Railway Station .....

Time of Observation .....

Diameter of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " Sea Level ..... ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.319	.031	.189	—	—	.094	—	—	—	.067	—	—	1
2	.220	.016	.016	—	.354	—	—	.008	—	.067	.185	.031	2
3	.114	.205	—	—	.051	—	—	.020	—	—	.016	.091	3
4	.083	—	—	—	—	—	—	—	.252	—	.996	.016	4
5	.087	—	—	.043	—	—	—	—	.075	.016	—	.110	5
6	.295	.024	—	—	.028	—	.043	—	—	—	1.114	.098	6
7	.524	.035	—	—	.020	—	—	—	—	.091	.083	.028	7
8	.079	.114	.197	—	—	—	—	—	—	.208	.358	.023	8
9	.087	.008	—	—	—	—	—	.012	—	.311	.307	.126	9
10	.453	.181	.031	—	—	—	—	.016	—	.374	.039	—	10
11	—	.067	.024	.031	—	—	—	.008	—	.024	—	.047	11
12	.323	.453	.205	—	—	—	—	.035	—	—	—	.047	12
13	.181	.220	—	—	—	—	.126	—	.043	.807	—	.567	13
14	.110	.043	.146	—	—	—	—	.091	.012	—	—	.142	14
15	.024	.043	.028	—	—	.012	.008	.055	.272	.067	.126	.094	15
16	.063	.185	—	—	—	.055	—	.146	—	.039	.209	.087	16
17	.146	.390	—	—	.020	—	—	—	—	—	.083	—	17
18	.216	.047	.236	.181	—	—	—	—	.051	.118	.118	.020	18
19	.016	.153	—	.181	—	—	.043	—	—	.012	.075	—	19
20	—	.110	.004	—	—	—	.185	—	—	—	.213	—	20
21	.181	—	.027	—	.157	—	.043	—	—	—	.323	—	21
22	—	.012	.165	.095	.047	—	—	—	—	.079	—	—	22
23	—	.350	.004	.004	.902	—	.004	—	.028	—	—	—	23
24	—	.091	.272	—	—	—	—	.114	—	—	—	.240	24
25	.579	.350	.004	.150	.012	—	—	.039	—	—	—	.240	25
26	.008	.346	—	.039	.370	—	.094	—	—	—	.016	.681	26
27	.004	.079	—	—	.087	—	—	—	—	.071	.031	.118	27
28	.004	.016	—	.161	.067	.079	—	—	—	.173	.051	.016	28
29	.098	—	—	.158	—	.169	.008	—	—	.161	.008	.039	29
30	—		—	.221	—	—	—	—	—	.315	.516	.012	30
31	—		—		.004		.004	—		.016		.067	31
Total	4.214	3.569	1.548	1.264	2.119	.409	.558	.544	.733	3.016	4.866	2.940	TOTAL for year 25.780
No. of Rain Days	24	25	15	11	13	5	10	11	7	19	20	23	183

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.
Price 2d.

REGISTER OF RAINFALL IN 1907

FORM A. BRITISH RAINFALL.

10 JAN 1908

Kept at the Observatory St Louis

in the County of Jersey Island

by Marc Dechevrens S.J.

Lat. ..... Long. .....

Nearest Railway Station .....

Time of Observation .....

Diameter of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " Sea Level ..... ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.197	—	—	—	.004	.067	.567	—	—	.504	.004	—	1
2	.276	—	—	.051	.220	—	—	.004	.201	.079	—	.098	2
3	.138	.004	—	.039	.488	.004	.169	—	—	.228	.358	.181	3
4	—	—	—	.004	.079	.102	.535	—	.039	—	.031	.008	4
5	.012	.008	.059	—	—	.016	—	—	.047	.035	.004	.335	5
6	.024	—	.138	.165	.240	—	.027	—	.051	.228	.004	.240	6
7	—	—	.024	.098	.047	.012	.024	.028	—	.035	.059	.299	7
8	.047	—	.004	.102	.008	—	.012	—	—	.260	.098	.181	8
9	—	.142 .142	.012	.268	.024	—	.039	—	—	.047	—	.039	9
10	.031	.087	—	—	—	.028	—	.138	—	.382	—	.339	10
11	.023	.201	—	.098	—	.283	—	—	—	.031	—	.118	11
12	—	.441	—	.653	—	.024	—	.008	—	—	.016	.181	12
13	.035	—	.047	.067	.035	.004	—	.020	—	—	.047	.197	13
14	.098	—	.004	.087	—	.059	—	.012	—	.468	.008	.110	14
15	—	.157	.004	—	.543	.142	—	.004	—	.146	.008	—	15
16	—	.035	—	—	.028	—	—	.016	—	.697	—	—	16
17	—	—	.142	.016	—	—	—	.028	—	.268	—	—	17
18	—	.012	.114	—	—	.016	—	.169	—	.276	—	—	18
19	.012	.110	—	—	—	—	—	—	—	—	—	—	19
20	—	.287	—	—	.004	—	—	—	—	.295	.004	—	20
21	.004	.028	—	.012	.067	.024	—	—	—	—	—	—	21
22	.102	.004	—	—	.110	.004	—	—	—	—	—	.016	22
23	.028	—	—	—	.102	.004	—	.012	—	.157	.252	.063	23
24	.087	—	—	—	.319	.087	.016	—	—	.236	.142	—	24
25	~~.087~~	—	—	—	—	—	—	—	—	.146	1.878	—	25
26	—	—	—	.150	—	.020	.071	—	—	.126	.260	—	26
27	.055	—	—	.122	—	.004	.409	.063	.299	.008	.264	.205	27
28	.028	—	—	.012	—	.083	.028	—	.543	.142	—	.220	28
29	.146		—	.142	.004	—	.071	—	.047	.496	—	.016	29
30	~~.146~~		—	.087	—	.394	—	—	.209	.134	—	.024	30
31	.059		—		.370		—	—		—		.031	31
Total	1.402	1.516	.548	2.173	2.692	1.377	1.968	.502	1.436	5.424	3.441	2.901	TOTAL for year 25.380
No. of Rain Days	18	11	7	17	15	15	12	10	9	24	14	20	171

6,000, XI '07.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.

Waterlow and Sons Limited, Printers, London Wall, London

Price 2d.

1.402 1.516 .548 2.173 2.692 1.377 1.968 .502 1.436 5.424 3.441 2.901 = 25.380

Sa.

REGISTER OF RAINFALL IN 1908

FORM A. BRITISH RAINFALL.

12 JAN 1909

Kept at St Louis' Observatory

in the County of Jersey Channel Isls

by Rev. Marc Dechevrens S.J.

Lat. ..... Long. .....

Nearest Railway Station pas de changement

Time of Observation Midnight

Diameter of Rain Gauge ..... in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " Sea Level ..... ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	.012	.122	.008	–	.173	.213	–	.020	–	–	–	1
2	–	–	.142	–	–	–	.083	–	.008	–	–	–	2
3	–	.035	.331	.020	–	–	–	–	.717	–	–	–	3
4	–	–	.079	.130	.024	–	–	–	.087	–	–	.020	4
5	–	–	–	.055	–	–	–	–	–	–	–	–	5
6	.039	–	.449	.008	.031	–	–	–	–	–	–	.087	6
7	.197	–	.173	–	–	–	.016	–	–	–	–	.272	7
8	.185	–	.075	–	–	–	.047	–	.118	–	–	.039	8
9	.035	–	.346	–	.008	–	.004	–	.004	.130	–	.220	9
10	.016	.039	.083	–	.051	–	–	–	.032	.059	.004	.472	10
11	–	–	–	.177	.020	–	–	–	.256	–	.059	.193	11
12	–	–	.008	.098	–	–	.016	–	.232	–	.071	–	12
13	–	.008	.016	–	.087	–	–	–	–	–	.102	.197	13
14	–	–	–	–	.484	.032	.039	–	–	–	.031	.291	14
15	–	.165	–	–	–	–	–	–	.020	–	.004	–	15
16	–	–	–	–	–	.201	.342	–	–	.012	.004	–	16
17	–	.539	.051	–	–	.102	.024	–	–	.004	.004	.465	17
18	.043	.004	–	–	–	–	–	–	.039	.031	.004	.087	18
19	–	.008	.004	.039	–	.004	–	.012	.004	.055	.252	.205	19
20	–	.028	–	.008	–	–	–	.236	.374	.035	.165	.055	20
21	–	.012	–	.043	–	–	–	–	–	.307	.126	.012	21
22	–	.008	.358	.020	.020	–	–	.272	.047	–	.339	–	22
23	–	.091	–	.299	–	–	–	–	.390	–	–	–	23
24	–	.079	.024	.299	–	–	–	.039	.094	.047	.004	–	24
25	–	.020	.130	.299	.039	–	–	.035	–	.059	.047	–	25
26	–	.248	–	.177	–	–	–	.004	.161	.146	–	–	26
27	.012	.094	–	.067	–	–	–	.268	.094	.772	–	.630	27
28	.079	.216	.079	.327	–	–	–	.008	.051	–	–	–	28
29	.035	.213	–	.016	.008	–	–	.024	–	–	–	.748	29
30	.035		.114	.047	–	.354	–	.032	–	–	–	–	30
31	.008		.114		.299		–	.342		.004	+	.433	31
Total	.684	1.819	2.698	2.137	1.071	.866	.824	1.272	2.748	1.661	1.216	4.426	TOTAL for year 21.492
No. of Rain Days	11	17	18	19	11	5	8	10	17	11	9	17	

6,000, XI, '08.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Cond. 24.III.10

REGISTER OF RAINFALL IN 1909

FORM A2. BRITISH RAINFALL. 19 JAN 1910

Kept at Observatoire St Louis
St Helier - Jersey
in the County of Channel Islands
by Rev. M Dechevrens s.j. et Rev. L. Fougerat s.j.

RAIN GAUGE: Pattern ____ Diameter of top 8 in. Height of top above Ground 5 ft. ____ in. " " " Sea Level 180 ft.
Time of Observation Midnight
Nearest Railway Station: Name ____ Distance ____ Direction ____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. 0,0

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0,1221	—	0,0197	0,0315	—	0,2677	—	—	0,0118	0,0354	0,0--	0,7953	1
2	—	—	0,3937	—	—	0,7717	—	—	—	0,0630	—	0,4449	2
3	—	—	0,1496	—	—	0,9961	—	—	—	0,3032	0,0157	0,4370	3
4	—	0,0079	0,1575	—	—	0,8386	0,0945	—	0,0866	0,1575	0,0079	0,4055	4
5	—	0,0236	0,1181	—	—	—	—	—	0,0787	0,0197	—	0,2913	5
6	0,0354	—	0,3228	—	—	0,0276	0,3150	—	0,0433	0,0---	—	0,5669	6
7	0,0197	—	—	—	—	0,1063	—	—	0,0118	0,1732	—	0,4528	7
8	0,0433	—	0,1811	—	—	—	—	—	0,0039	0,2756	0,0	0,1496	8
9	—	0,2047	—	—	—	—	—	—	0,0984	0,0---	—	0,0---	9
10	0,1496	0,0787	0,3937	—	—	—	0,6929	—	0,5709	0,1142	0,1417	0,0315	10
11	0,2284	0,2756	0,0512	—	—	0,0118	0,0079	—	0,0591	0,0276	0,0039	0,1378	11
12	0,1221	0,0079	0,0079	0,0315	—	0,0079	—	—	0,1260	—	0,0118	—	12
13	0,4646	—	0,0669	—	—	—	—	—	0,0315	0,3347	0,0787	0,0---	13
14	0,0276	—	0,1929	0,0079	—	—	—	—	0,0433	0,0591	0,4882	—	14
15	0,3780	—	0,1378	—	—	—	0,0079	—	—	0,0039	0,0118	—	15
16	0,2717	—	0,0079	—	0,0591	—	—	0,0039	0,0197	0,2165	0,0	0,0630	16
17	0,0197	—	0,0394	(0392) —	—	—	0,0157	0,1732	—	0,1890	—	0,1850	17
18	—	—	0,2913	0,0157	—	—	0,0039	0,0748	—	0,0236	—	0,0630	18
19	0,0551	—	—	0,2008	—	—	0,0039	—	—	—	—	0,0079	19
20	—	—	0,0118	—	—	—	—	0,2835	—	0,1378	—	—	20
21	—	—	0,4843	—	—	0,2165	0,0118	0,1181	—	—	—	0,2756	21
22	0,0039	—	0,1575	0,0276	—	0,4724	—	—	—	0,0433	—	0,1969	22
23	—	—	0,0079	0,0276	—	0,1496	0,0276	0,0197	—	0,1260	—	0,0039	23
24	—	—	0,2480	0,1221	0,1181	—	0,0354	0,0512	—	0,1969	0,0	—	24
25	—	0,0276	0,1102	—	0,1732	—	0,2717	0,0157	0,0236	0,1654	0,1221	0,0709	25
26	—	0,0315	—	—	0,1693	0,0039	0,0276	—	—	0,7480	—	0,0433	26
27	—	0,0197	0,0197	—	0,0236	—	0,0827	—	—	0,3268	0,0315	0,1496	27
28	—	0,0512	0,1181	—	—	0,0039	0,0709	—	—	1,1968	0,0	0,1732	28
29	—		0,0433	0,3268	0,0276	0,0236	0,0079	—	0,1063	0,1693	0,4331	0,0---	29
30	0,0079		0,1693	—	—	—	0,0197	0,0118	0,4057	—	0,2126	—	30
31	0,0157		0,1024		—		0,0590	0,0118		0,5945		0,0158	31
Total	1,9648	0,7284	4,0040	0,8307	0,5709	3,8977	1,7560	0,7638	1,7206	5,7010	1,5591	4,9607	TOTAL for year 28,4577
No. of Rain Days	15	10	27	9	6	12	16	9	15	24	11	21	175

7,000. X. '09.

REGISTER OF RAINFALL IN 1910

FORM A2. BRITISH RAINFALL. 25 JAN 1911

Kept at Observatoire St Louis. Ile de Jersey

in the County of (Channel Isles)

by L. Faigerat aj. Directeur

RAIN GAUGE: Pattern ____ Diameter of top 8 in. Height of top above Ground 5 ft. ____ in. " " " Sea Level 180 ft.

Time of Observation Minuit (avec un autre appareil enregistreur)

Nearest Railway Station: Name ____ Distance ____ Direction ____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. 0,051

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	0.004	0,024	0,008	—	—	0,051	0,177	—	0,020	0,461	0,039	1
2	0,087	0,142	—	—	0,098	0,024	0,146	0.004	—	0.040	0,165	0.051	2
3	0,020	0,251	—	0,024	0,028	—	0,358	0,476	—	0.004	0,535	0,508	3
4	0.004	0,130	—	—	0,079	0,067	—	0.362	—	—	0,362	0,173	4
5	—	0,110	—	—	0,177	0, 008	0.173	0,055	—	—	0,169	0,012	5
6	—	0.115	0,035	—	0,122	0,138	0,091	—	—	—	0,276	—	6
7	—	0,154	—	—	0,012	0.071	—	0,024	—	—	0,232	0,043	7
8	—	0,087	0,012	—	0,161	1,095	—	0.008	0,118	—	0,299	0,114	8
9	—	0,043	0,539	0,008	0,134	0,020	—	0.075	—	—	0,008	0,075	9
10	0,063	0,035	0,047	—	0,004	1,343	—	—	—	0,008	0.020	0,291	10
11	0.232	0.087	0,724	—	—	0,012	—	—	—	0.453	0,409	0,039	11
12	0,280	0,161	0,433	0,146	0,425	—	—	0.091	—	0,863	—	0.228	12
13	0.004	0,016	0,205	0,055	0,032	—	—	0.008	—	0,520	0,374	0,032	13
14	0,035	0.280	—	0,051	0,091	—	—	—	0,098	0.024	0.347	0,142	14
15	0.055	0,614	—	0,055	0,110	—	0.035	—	0,169	0,433	0,461	0,110	15
16	0,232	0.008	—	0.039	—	—	0,150	—	—	0.331	0.394	0,213	16
17	0,315	0,012	0028	0.012	0,303	—	0,173	—	—	0,018	0,705	0.095	17
18	0,291	0,126	0,138	0,142	—	—	—	—	—	0.315	0,028	—	18
19	0.402	0,012	0,114	0.012	0,217	—	—	0,161	—	0,189	—	0,201	19
20	0.366	0,252	—	—	0,224	—	0,079	0,079	—	0,528	0,063	0,071	20
21	0.221	0,386	—	0,004	—	—	0,311	—	—	0.394	—	0,055	21
22	0,004	0.291	—	0,020	—	—	0,244	—	—	—	0,047	—	22
23	0,173	0.185	—	—	—	0,059	—	0.602	—	—	1.323	0.004	23
24	0,421	0,106	—	0,075	—	0,106	0.295	0,039	—	—	0.079	0,087	24
25	0.043	0,248	—	0,138	—	—	0,480	—	—	0.016	1.374	0,087	25
26	0.020	0,303	—	0,032	—	0,217	—	0,118	0.008	—	—	0.016	26
27	0,095	0,059	—	—	—	—	0.004	—	—	0.760	0.413	0.012	27
28	0.181	0.303	—	0,032	—	0,098	0.035	0,343	—	0.217	0,043	—	28
29	0,048		—	0,161	0,020	0,028	0,059	0,197	0.189	0.008	0,827	0,067	29
30	0,016		—	—	—	0,370	—	—	—	0.008	1.075	0.004	30
31	—		—		0,012		0,012	0,016		—		—	31
Total	3.608	4,520	2,299	1,014	2249	3,656	2696	2,835	0,582	5,147	10.489	2,769	TOTAL for year 41,864
No. of Rain Days	24 21	28 ✓	11 ✓	18 17	18 17	15 ✓	17 16	18 17	5 ✓	20 19	26 ✓	26 24	~~226~~ 216

9,000, IX. '10.